

#### STAINLESS STEEL SPRAY GUN

Ref. : SMT.SSSG

Rev. : A

Date: 12-03-2013

Page: 1-3

Tel: +31 (0)10 251 80 80

Fax: +31 (0)10 251 80 05

info@smt-bv.nl



# STAINLESS STEEL SPRAY GUN



#### STAINLESS STEEL SPRAY GUN

Ref. **SMT.SSSG** 

Rev.

Date: 12-03-2013

Page: 2-3



Stainless steel spray gun with quick coupling made of stainless steel

Dismantled without tools Autoclavable to 134°C - Product-class B

To flush and blow out. of contaminated medical devices to 0.5 Mpa (= 5 bar)

#### SPRAY GUN "FOR AIR" (Oil-free, medically treated), to 0.5 MPa (=5 bar)

Each Set consists of: stainless steel spray gun, LL - attachment M8, 1 nozzle attachment (blue-colored), 1 inject attachment, locking ring for trigger, wall-mount for the spray gun, PVC-tube with quick-coupling made of stainless steel, tube-end open, coupling protection cover, silicon oil

SPRAY GUN-SET "FOR AIR", tube-length 100 cm, tube-end open SPRAY GUN-SET "FOR AIR", tube-length 100 cm, tube-end open SPRAY GUN-SET "FOR AIR", tube-length 100 cm, tube-end open



#### SPRAY GUN "FOR COLD DRINKING-QUALITY-WATER", to 0.5 MPa (=5 bar)

Each Set consists of: stainless steel spray gun, LL - attachment M8,1 nozzle attachment (blue-colored), 1 inject attachment, locking ring for trigger, wall-mount for the spray gun, stainless steel tube for drinkingquality-water, quick-coupling, tubing connecting adaptor outside 3/8 (inside 1/2" or 3/4", please specify by ordering), coupling protection cover

SPRAY GUN-SET "FOR COLD DRINKING-QUALITY-WATER", tube-length 100 cm SPRAY GUN-SET "FOR COLD DRINKING-QUALITY-WATER", tube-length 150 cm SPRAY GUN-SET "FOR COLD DRINKING-QUALITY-WATER", tube-length 200 cm



### SPRAY GUN "FOR COLD DEMINERALIZED WATER", to 0.5 MPa (=5 bar)

Each Set consists of: stainless steel spray gun, Luer-attachment M8,1 nozzle attachment (blue-colored), 1 inject attachment, locking ring for trigger, wall-mount for the spray gun, stainless steel tube f. cold demineralized water,

quick-coupling, tubing connecting adaptor outside 3/8 (inside 1/2" or 3/4", please specify by ordering), coupling protection cover

SPRAY GUN-SET "FOR COLD DEMINERALIZED WATER", tube-length 100 cm SPRAY GUN-SET "FOR COLD DEMINERALIZED WATER", tube-length 150 cm SPRAY GUN-SET "FOR COLD DEMINERALIZED WATER", tube-length 200 cm



Tel: +31 (0)10 251 80 80

Fax: +31 (0)10 251 80 05

info@smt-bv.nl



#### STAINLESS STEEL SPRAY GUN

Ref. : SMT.SSSG

Rev. : A

Date: 12-03-2013

Page : 3-3



## ACCESSORIES SUITABLE FOR ALL STAINLESS STEEL SPRAY GUNS

Table top rosette, desk thickness 30-45 mm

Luer-Attachment, stainless steel

Tubing connecting adaptor outside 3/8" (inside 1/2")

Tubing connecting adaptor outside 3/8" (inside 3/4")

Nozzle attachment, BLUE-COLOURED with detachable slieve

O-RING Sealing Set with spare spring and pull-up-aids for rings

Inject attachment, stainless steel

Luer-Lock Attachment, stainless steel

Hose-Nozzle, Size 6, stainless steel



















Tel: +31 (0)10 251 80 80

Fax: +31 (0)10 251 80 05

info@smt-bv.nl